STANISLAUS COUNTY HEALTH SERVICES AGENCY

COVID-19 and INFLUENZA

SURVEILLANCE REPORT: January 24-30, 2021




"Healthy People in a Healthy Stanislaus"

Overview


- Stanislaus County is in Tier 4 (Purple): Widespread.
- Over 10% of Stanislaus County residents age 18-44 have tested positive for COVID-19 in the past year.
- There were no new cases of influenza confirmed in Stanislaus County this week.

COVID-19 MONITORING

| New | Report Week | | | Total | | |
|-------------------------|-------------|-------|-------|---------|-------|--------|
| Positive Cases | Count | % | Rate* | Count | % | Rate* |
| Age 0-17 | 295 | 15.2% | 1.98 | 5,111 | 11.2% | 34.22 |
| Age 18-44 | 907 | 46.7% | 4.33 | 22,877 | 50.1% | 109.22 |
| Age 45-64 | 509 | 26.2% | 3.94 | 12,300 | 26.9% | 95.25 |
| Age 65+ | 230 | 11.8% | 3.09 | 5,406 | 11.8% | 72.69 |
| TOTAL | 1,941 | - | - | 45,694 | - | - |
| Total Tests Reported | 18,931 | | | 454,198 | | |
| Deaths | 40 | - | - | 828 | - | - |



This graph shows the daily number of unique COVID-19 confirmed positive cases reported among Stanislaus County residents by the case's episode date. The episode date is the earliest date a person is known to have the virus and is determined using a few variables including symptom onset date and the date they were tested.



Note: Due to delays in specimen processing, totals for the past two weeks may be incomplete.


Reported COVID-19 cases and deaths on this page are those that have been confirmed by Stanislaus County Public Health.

Last Updated on February 3, 2021

Unrestricted

Page 1 of 4


^{*}Rate per 1,000 population; Data Source: California Department of Finance




Note: Due to delays in death reporting and assessment, totals for the past two weeks may be incomplete.

Reported COVID-19 cases and deaths on this page are those that have been confirmed by Stanislaus County Public Health.

The graph below shows positive case rate (number of positive cases per 100,000 county population), 7-day average with 7 day lag, through the report week. This does not include the state adjustments and may vary from state measures.



The graph below shows testing positivity (percent of tests that are positive), 7-day average with 7 day lag, through the report week. This may vary from state measures.



COUNTY RISK LEVEL


The State of California changed county monitoring strategies as of August 30, 2020. Below are the standard categories as well as the current ratings for Stanislaus County.

| Measure (7 day lag) | Stanislaus (as of 2/2/21 for week ending 1/23/21) | Higher Risk Of Community Disease Transmission | | | |
|--|--|---|-----------------------|--------------------|-------------------|
| | Widespread Tier 1 | Widespread Tier 1 | Substantial Tier 2 | Moderate Tier 3 | Minimal Tier 4 |
| Adjusted Case Rate for Tier Assignment* (Rate per 100,000) | 45.1 | >7 | 4-7 | 1-3.9 | <1 |
| Testing Positivity | 11.3% | >8% | 5-8% | 2-4.9% | <2% |

^{*}Adjusted case rate will be determined using confirmed (by PCR) cases, includes an adjustment factor for counties that are testing below the state average.


COMMUNITY MONITORING – EMERGENCY CASES COVID-19 LIKE ILLNESS

This graph shows the number of emergency room visits for COVID-19-like illness for all Stanislaus County Hospitals.



Mountain Valley EMS COVID-19 Responses


This graph shows the ambulance calls (blue) for COVID-19 related situations compared to the threshold of concern (red).



INFLUENZA MONITORING

INFLUENZA LIKE ILLNESS

This graph shows the number of emergency room visits for Influenza-like illness complaints for all Stanislaus County Hospitals.



SEVERE INFLUENZA

This chart shows the number of people who are in the intensive care unit and deaths for children under 18 from influenza.

| | Report Week | This Influenza Year (since September 27, 2020) |
|--------------------------------|-------------|---|
| Intensive Care Unit (under 18) | 0 | 0 |
| Death (under 18) | 0 | 0 |

TYPES OF INFLUENZA-LIKE ILLNESS

This chart looks at how many samples were tested for different kinds of influenza-like illness in San Joaquin and Stanislaus* during the report week, and how many were positive, in order to monitor what is currently spreading in the area.

| | Report W | eek | This Influenza Year (since September 27, 2020) | | |
|----------------------------|----------------|-------------------|---|----------------|--|
| | Samples Tested | Positive Tests | Samples Tested | Positive Tests | |
| Influenza A | 815 | 0 | 12,242 | 3 | |
| Influenza B | 815 | 0 | 12,242 | 2 | |
| RSV | 170 | 0 | 12,242 | 2 | |
| Parainfluenza** | 0 | 0 | 12 | 0 | |
| Adenovirus** | 0 | 0 | 12 | 0 | |
| Rhinovirus/Enterovirus** | 0 | 0 | 12 | 3 | |
| Human Metapneumovirus** | 0 | 0 | 12 | 0 | |

^{*}Includes Influenza (A and B) and RSV testing information from four Stanislaus County Hospitals and the San Joaquin Public Health Lab.

^{**}Only includes lab tests from San Joaquin Public Health Laboratory.