STANISLAUS COUNTY HEALTH SERVICES AGENCY Respiratory Virus Surveillance Report




SURVEILLANCE REPORT: Jan 21- Feb 3

Overview

- COVID-19 Cases and Percentage of positive tests have been stable.
- Influenza, RSV and COVID-19-related Emergency Department visits have been stable.
- Wastewater data shows Modesto's and Turlock's RSV, Influenza and COVID have decreased.

| | Report Weeks | | Fiscal Year: 22/23 | | | | I | |
|--------|--------------|-------|--------------------|--------|-------|-------|---|---------------------------------|
| Age | Count | % | Rate | Count | % | Rate* | | 70 60 |
| 0-17 | 137 | 20.2% | 0.92 | 3,137 | 14.7% | 21.01 | | of Deaths 05 05 |
| 18-44 | 185 | 27.3% | 0.88 | 8,414 | 39.5% | 40.17 | | |
| 45-64 | 165 | 24.3% | 1.28 | 5,456 | 25.6% | 42.25 | | |
| 65+ | 190 | 28.0% | 2.55 | 4,260 | 20.0% | 57.28 | | ³⁰ 20 10 10 |
| Total | 677 | - | - | 21,291 | - | - | | - 10 |
| Deaths | 0 | - | - | 170 | - | - | | - |






*Rate per 1,000 population; Data Source: California Department of Finance

** Total Deaths from July 1, 2022, through June 30, 2023. Age groups with less than 10 deaths are not displayed.

This graph shows the daily number of COVID-19 confirmed cases reported among Stanislaus County residents by episode date.




Note: Due to delays in specimen processing, data may be incomplete.

Reported COVID-19 cases and deaths on this page are those that have been confirmed by Stanislaus County Public Health.

Last Updated on February 6, 2024 Unr


Unrestricted

The items contained are only the information known at the time of the entry and are subject to change at any time under any circumstance.




Note: Due to delays in death reporting and assessment, data may be incomplete. Reported COVID-19 cases and deaths on this page are those that have been confirmed by Stanislaus County Public Health.

The graph below shows positive case rate (number of positive cases per 100,000 county population), 7-day average with 7-day lag, through the report week. This does not include the state adjustments and may vary from state measures.




The graph below shows testing positivity (percent of tests that are positive), 7-day average with 7-day lag, through the report weeks. This may vary from state measures.



Last Updated on February 6, 2024 **Unrestricted** Page **2** of **6** The items contained are only the information known at the time of the entry and are subject to change at any time under any circumstance.


COMMUNITY MONITORING – EMERGENCY CASES COVID-19 LIKE ILLNESS

This graph shows the number of emergency room visits for COVID-19-like illness for all Stanislaus County Hospitals.



RSV MONITORING

This graph shows the number of emergency room visits for RSV for all Stanislaus County Hospitals.



Daily Data Counts


INFLUENZA MONITORING

Unrestricted

The items contained are only the information known at the time of the entry and are subject to change at any time under any circumstance.

Influenza like illness

This graph shows the number of emergency room visits for Influenza-like illness complaints for all Stanislaus County Hospitals.



SEVERE INFLUENZA

This chart shows the number of people who are in the intensive care unit and deaths for children under 18 from influenza.

| | Report Weeks | This Influenza Year |
|--------------------------|--------------|---------------------|
| Intensive Care Unit | 3 | 14 |
| Death under 18 years old | 0 | 0 |

The influenza year begins MMWR week 40, this year beginning on October 1.

Laboratory detections of respiratory viruses other than COVID-19

This chart looks at how many samples were tested for different kinds of influenza-like illness by the regional San Joaquin Public Health Laboratory (including Stanislaus County specimens), during the report weeks, and how many were positive, in order to monitor what is currently spreading in the area.

| | Report V | Veeks | This Influenza Year | | | |
|---------------|----------------|----------------|---------------------|----------------|--|--|
| | Samples Tested | Positive Tests | Samples Tested | Positive Tests | | |
| Influenza A | 32 | 6 334 75 | | 75 | | |
| Influenza B | 32 | 1 | 334 | 8 | | |
| RSV | 27 | 4 | 259 | 48 | | |
| Parainfluenza | 27 | 0 | 259 | 21 | | |
| Adenovirus | 27 | 2 | 259 | 16 | | |

Last Updated on February 6, 2024

Unrestricted

Page 4 of 6

The items contained are only the information known at the time of the entry and are subject to change at any time under any circumstance.


| Rhinovirus/Enterovirus | 27 | 4 | 259 | 78 |
|-------------------------------|----|---|-----|----|
| Human Metapneumovirus | 27 | 3 | 259 | 6 |
| Non-COVID-19 Coronaviruses | 0 | 0 | 0 | 0 |

Table reference reflects the San Joaquin Public Health lab testing numbers.

COMMUNITY MONITORING – WASTEWATER SURVEILLANCE




SARS-CoV-2, Stanislaus, CA



Sample collected

• Modesto, CA (Modesto's Sutter Primary Treatment Facility)

• Turlock, CA (Turlock Regional Water Quality Control Facility)




Sample collected

Modesto, CA (Modesto's Sutter Primary Treatment Facility)

Turlock, CA (Turlock Regional Water Quality Control Facility)





Sample collected

Modesto, CA (Modesto's Sutter Primary Treatment Facility)

• Turlock, CA (Turlock Regional Water Quality Control Facility)

Source:

https://data.wastewaterscan.org/tracker?charts=CjwQACABSABSBmZIZDk3ZIIGYWQ4NmE5WgNSU1Z yCjlwMjMtMDYtMDFyCjlwMjMtMTEtMDmKAQY0NmYyOTI%3D&selectedChartId=46f292